
SA1000 AUTOMATIC PALLET LABELER




General Description

The SA1000 Automatic Pallet Labeler is designed to print and apply labels to the side of a pallet load. The machine is controlled by a PLC, which can communicate with the conveyor, stretch wrapper, and palletizer to ensure proper product handling during the labeling sequence. Full diagnostic reports and communication tracking are available, making troubleshooting easy. A PC program simplifies the process of managing the label format and database. High caliber commercial parts minimize machine downtime.

The barcode labels are printed with a Zebra™ PAX print engine and are applied to the pallet load by a 24-inch (61 cm) variable stroke slide-cylinder tamp assembly. The spring-loaded tamp-pad adapts to the pallet load surface. The rugged PHD® slide cylinder, along with the heavy-duty stand, the NEMA 12 industrial controls enclosure, and the other high quality commercial parts help ensure that the SA1000 will handle the rigors of 24/7 pallet load labeling.

SA1000 AUTOMATIC PALLET LABELER



Specifications

Size (L x W x H)	36" x 36" x 93" (0.9 m x 0.9 m x 2.4 m)
Electrical	110 VAC, 60 Hz, Single phase, 10 A
Pneumatics	3 CFM (85 Lpm) @ 60 PSI (414 kPa) Clean Dry Air
Standard Printer	Zebra PAX Print Engine
Print Resolution	203/300 dpi (8/12 dots/mm)
Print Speed	12.0" (305 mm) per second maximum
Print Width	6.6" (168 mm) maximum
Print Length	10.0" (254 mm) maximum
Label Specifications	12.0" (305 mm) O. D. on 3.0" (76 mm) I. D. cores Die-cut labels with 1/8" (3 mm) space

Options

Custom stroke length or labeling height available
Customer-specified control system (Allen-Bradley PLC/SLC/CLX, Flex I/O, Modicon, more)
Mounted barcode scanners
Sato, Datamax, Intermec, or other print engines
18" (457 mm) O. D. on 3" (76 mm) I. D. core label supply
Preprinted label dispenser (SA1001)
Multi-sided label application with turntable
Customer-specified interface to printer (AS400, Oracle, SAP, more)
RFID printer upgrade for "Smart Label" or EPC™ compliance (SA1000-RF, SA1001-RF)

Kolinahr Systems, Inc.

6840 Ashfield Drive
Cincinnati, OH 45242

E-Mail: sales@kolinahr.cc
Phone: 513-745-9401
Fax: 513-794-3240
On the Web: <http://www.kolinahr.cc>



SA1000 AUTOMATIC PALLET LABELER

Standard Features	Benefits
"Smart" Tamp Applicator	Applies labels to the side of pallet loads "Smart" tamp pad compression sensor adjusts the cylinder reach to the pallet load location Extremely durable – minimizes downtime
Spring-Loaded Tamp Pad	Adjusts to surface variations on the side of a pallet load
"Label on Tamp Pad" Sensor	Helps ensure that a label is printed and the label is applied
PLC Machine Control	Control program can be customized for the application Communicates with other finished product handling equipment Allows for full diagnostics feedback
KLASS Labeling Software on IBM-Compatible PC	Provides template and database flexibility at the labeler Prepares fault and ZPL code reports
Zebra® PAX Printer	High quality thermal transfer printing Easy to maintain or replace
High Grade Pneumatics	Soft-start reduces pneumatic impact during startup On/off controls minimize air usage by the vacuum pad/air assist system
Heavy-Duty Pedestal Stand	Protects machine from damage Provides stable base for printing and labeling Allows manual height adjustment
Industrial Safety Components	LEXAN® safety guard around the tamp cylinder NEMA 12 controls enclosure Lockable electrical disconnect and air dump valve
Status Light Stack	Provides a quick visual monitor for the operator
Media Status Indicators	Low-level and media fault detection minimizes downtime

Kolinahr Systems, Inc.
 6840 Ashfield Drive
 Cincinnati, OH 45242

E-Mail: sales@kolinahr.cc
 Phone: 513-745-9401
 Fax: 513-794-3240
 On the Web: <http://www.kolinahr.cc>